

SECTION 1: Identification of the substance/mixture

1.1. Product identifier

Product form	: Substance
Substance name	: Copper(II) Oxide
Formula	: CuO
Molecular weight	: 79.55 g/mol
CAS No.	: 1317-38-0
Product code	: LW-CUO
Synonyms	: Cupric Oxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Laboratory chemicals, Synthesis of substances
------------------------------	---

1.3. Emergency telephone number

Emergency number	: 1.800.424.9300 (USA) +1.703.527.3887 (INT)
------------------	---

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture


GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram	: 
Signal word	: Warning
Hazard statement(s)	
H400	: Very toxic to aquatic life.
H412	: Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P273	: Avoid release to the environment.
P391	: Collect spillage.
P501	: Dispose of contents/ container to an approved waste disposal plant.

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS

none

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

Component	Classification	Concentration
Copper oxide	Aquatic Acute 1; Aquatic Chronic 3; H400, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: Description of first aid measures

4.1. Description of first aid measures

- General advice : Consult a physician. Show this safety data sheet to the doctor in attendance.
- First-aid measures after inhalation : If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
- First-aid measures after skin contact : Wash off with soap and plenty of water. Consult a physician.
- First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Copper oxides

5.3. Advice for firefighters

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear self-contained breathing apparatus for fire-fighting if necessary.

5.4. More Information

No data available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non Combustible Solids

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	CAS-No.	Value	Control parameters	Basis
Copper oxide	1317-38-0	TWA	0.100000 mg/m3	USA. NIOSH Recommended Exposure Limits
	Remarks	Also see specific listing for Copper (dusts and mists)		
		TWA	0.100000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Copper (dusts and mists)		
		TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Copper (dusts and mists)		

8.2. Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3. Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection : Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Aldrich - 203130 Page 4 of 8

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

- Body protection : Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Respiratory protection : For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
- Environmental exposure controls : Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Appearance : Form: powder
Color: black
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : Melting point/range: 1,336 °C (2,437 °F)
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper/lower flammability or explosive limits : No data available

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Vapor density	: No data available
Relative density	: 6.320 g/cm ³
Water solubility	: 0.0001 g/l - insoluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2. Other safety information

Bulk density	: 1.25 g/l
--------------	------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Exposure to moisture

10.5. Incompatible materials

Reducing agents, Hydrogen sulfide gas, Aluminum, Alkali metals, Powdered metals

10.6. Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: LD50 Oral - Rat - > 2,500 mg/kg (OECD Test Guideline 423) Inhalation: No data available LD50 Dermal - Rat - > 2,000 mg/kg
----------------	--

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: (OECD Test Guideline 402) Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)
Serious eye damage/irritation	: Eyes - Rabbit Result: Mild eye irritation (OECD Test Guideline 405)
Respiratory or skin sensitization	: Maximization Test (GPMT) - Guinea pig Does not cause skin sensitization. (OECD Test Guideline 406)
Germ cell mutagenicity	: No data available
Carcinogenicity	
IARC	: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity	: No data available
Specific target organ toxicity (single exposure)	: No data available
Specific target organ toxicity (repeated exposure)	: No data available
Aspiration hazard	: No data available
Additional Information	: RTECS: GL7900000 Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination,

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has led to hemolytic anemia and accelerates arteriosclerosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

- 12.1. Toxicity** :
- Toxicity to fish : Offer surplus and non-recyclable solutions to a licensed disposal company.
- Toxicity to daphnia and other aquatic invertebrates : Dispose of as unused product.
- Toxicity to algae : Not dangerous goods
- 12.2. Persistence and degradability** : The methods for determining the biological degradability are not applicable to inorganic substances.
- 12.4. Bioaccumulative potential** : No data available
- 12.5. Mobility in soil** : No data available
- 12.5. Results of PBT and vPvB assessment** : PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6. Other adverse effects** : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods**
- Product : Offer surplus and non-recyclable solutions to a licensed disposal company.
- Contaminated Packaging : Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN number : 3077
Class : 9
Packing group : III
EMS-No : F-A, S-F
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Copper oxide)
Marine pollutant : yes

IATA

UN number : 3077
Class : 9
Packing group : III
EMS-No : F-A, S-F
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Copper oxide)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Copper oxide	CAS-No.	Revision Date
	1317-38-0	2007-07-01

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Copper oxide	CAS-No.	Revision Date
	1317-38-0	2007-07-01

New Jersey Right To Know Components

Copper oxide	CAS-No.	Revision Date
	1317-38-0	2007-07-01

California Prop. 65 Components

Copper(II) Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute	:	Acute aquatic toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
H400	:	Very toxic to aquatic life.
H412	:	Harmful to aquatic life with long lasting effects.

HMIS Rating

Health Hazard	:	0
Chronic Health Hazard	:	
Flammability	:	0
Physical Hazard	:	0

NFPA Rating

Health hazard	:	0
Fire Hazard	:	0
Reactivity Hazard	:	0

Further Information

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Loudwolf Holdings Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his/her application.