

. . .

Ferric Chloride

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 12/10/2015

SECTION 1: Identification of the substance/mixture

1.1. Product identifier	
Product form	: Substance
Substance name	: Ferric Chloride
Formula	: FeCl ₃
Molecular weight	: 162.20 g/mol
CAS No.	: 7705-08-0
Product code	: LW-FECL3
Synonyms	: Iron(III) chloride, Iron trichloride
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals, Manufacture of substances
1.3. Emergency telephone number	
Emergency number	: 1.800.424.9300 (USA)
	+1.703.527.3887 (INT)

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram



Signal word	:	Danger
Hazard statement(s)		
H290	:	May be corrosive to metals.
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H401	: Toxic to aquatic life.
Precautionary statement(s)	
P234	: Keep only in original container.
P264	: Wash skin thoroughly after handling.
P270	: Do not eat, drink or smoke when using this product.
P273	: Avoid release to the environment.
P280	: Wear eye protection/ face protection.
P280	: Wear protective gloves.
P301 + P312 + P330	: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352	: IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P332 + P313	: If skin irritation occurs: Get medical advice/ attention.
P362	: Take off contaminated clothing and wash before reuse.
P390	: Absorb spillage to prevent material damage.
P406	: Store in corrosive resistant stainless steel container with a resistant inner liner.
P501	: Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS 2.3.

none

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Synonyms	:	Ferric chloride
Formula	:	FeCl ₃
Molecular Weight	:	162.20 g/mol
CAS-No.	:	7705-08-0

Hazardous components

Component	Classification	Concentration
Ferric Chloride	Met. Corr. 1; Acute Tox. 4;	<= 100 %
	Skin Irrit. 2; Eye Dam. 1;	
	Aquatic Acute 2; H290, H302,	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H315, H318, H401

SECTION 4: Description of first aid measures

Description of first aid measures 4.1.

General advice	:	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
First-aid measures after inhalation	:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	:	Wash off with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
First-aid measures after ingestion	:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture 5.2.

Hydrogen chloride gas, Iron oxides.

Advice for firefighters 5.3.

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. **More Information**

No data available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2. **Environmental precautions**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Store under inert gas. Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

Storage class (TRGS 510): Non-combustible, corrosive hazardous materials.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Ferric Chloride	7705-08-0	TWA	1.000000	USA. ACGIH Threshold Limit
			mg/m3	Values (TLV)
	Remarks	Upper Respirato	ry Tract irritatior	1
		Skin irritation		
		Varies		
		TWA	1.000000	USA. NIOSH Recommended
			mg/m3	Exposure Limits

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Upper Respirato	ory Tract irritatior	1
Skin irritation		
Varies		
TWA	1 mg/m3	USA. NIOSH Recommended
		Exposure Limits

8.2. **Exposure controls**

Appro	priate engineering controls	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
8.3.	Personal protective equipment		
Eye p	rotection	:	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin P	rotection	:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
			Full contact
			Material: Nitrile rubber
			Minimum layer thickness: 0.11 mm
			Break through time: 480 min
			Material tested: Dermatril [®] (KCL 740 / Aldrich Z677272, Size M)
			Splash contact
			Material: Nitrile rubber
			Minimum layer thickness: 0.11 mm
			Break through time: 480 min
			Material tested: Dermatril [®] (KCL 740 / Aldrich Z677272, Size M)
			data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374
			If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		customers. It should not be construed as offering an approval for any specific use scenario.
Body protection	:	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	:	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type
		N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Environmental exposure controls	:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	nd chemical properties
Appearance	: Form: solid
Odor	: No data available
Odor Threshold	: No data available
рН	: No data available
Melting point/freezing point	: 304 °C (579 °F)
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper/lower flammability or explosive limits	: No data available
Vapor pressure	: < 1 hPa (< 1 mmHg) at 20 °C (68 °F)
	1 hPa (1 mmHg) at 194 °C (381 °F)
Vapor density	: 5.60 - (Air = 1.0)
Relative density	: 2.800 g/cm3
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Relative vapor density	: 5.60 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents, Potassium, Alkali metals, Bases, Exothermic in contact with water, Forms shock-sensitive mixtures with certain other materials.

10.6. Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	:	LD50 Oral - Mouse - 1,300 mg/kg
		Inhalation: No data available
		LD50 Dermal - Rabbit - > 2,000 mg/kg
		(OECD Test Guideline 402)
		No data available
Skin corrosion/irritation	:	Skin - Rabbit
		Result: Irritating to skin.
Serious eye damage/irritation	:	Eyes - Rabbit

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		Result: Severe eye irritation	
Respiratory or skin sensitization	:	No data available	
Germ cell mutagenicity	:	No data available	
Carcinogenicity			
IARC:	:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
ACGIH:	:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
NTP:	:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
OSHA:	:	: No component of this product present at levels greater than equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
Reproductive toxicity	:	No data available	
Specific target organ toxicity (single exposure)	:	No data available	
Specific target organ toxicity (repeated exposure)	:	No data available	
Aspiration hazard		No data available	
Additional Information		RTECS: LJ9100000	
		Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Overdose of iron compounds may have a corrosive effect on the gastrointestinal mucosa and be follow by necrosis, perforation, and stricture formation. Several hour may elapse before symptoms that can include epigastric pain, diarrhea, vomiting, nausea, and hematemesis occur. After apparent recovery a person may experience metabolic acidos convulsions, and coma hours or days later. Further complicati may develop leading to acute liver necrosis that can result in death due to hepatic coma. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.	

SECTION 12: Ecological information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.1. Toxicity

/		
Toxicity to fish	: LC50 - Pimephales promelas (fathead minnow) - 21.84 mg/l - 96 h	5
Toxicity to daphnia and other aquatic invertebrates	: EC50 - Daphnia magna (Water flea) - 9.6 mg/l - 48 h	
12.2. Persistence and degradability		
Biodegradability	: Result: 99 % - Readily biodegradable.	
12.3. Bioaccumulative potential	: No data available	
12.3. Mobility in soil	: No data available	
12.4. Results of PBT and vPvB assessment	: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted	
12.6. Other adverse effects	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.	

SECTION 13: Disposal considerations			
13.1.	Waste treatment methods		
Produc	ct	:	Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Contar	minated Packaging	:	Dispose of as unused product.

SECTION 14: Transport information			
DOT (US)			
UN number	: 1773		
Class	: 8		
Packing group	: 111		
Proper shipping name	: Ferric chloride, anhydrous		
Reportable Quantity (RQ)	: 1000 lbs		
Poison Inhalation Hazard	: No		
IMDG			
UN number	: 1773		
Class	: 8		
Packing group	: 111		
EMS-No	F-A, S-B		
Proper shipping name	: Ferric chloride, anhydrous		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Marine pollutant	: Yes	
ΙΑΤΑ		
UN number	: 1773	
Class	: 8	
Packing group	: 111	
Proper shipping name	: Ferric chloride, anhydrous	

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Ferric Chloride	CAS-No.	Revision Date
	7705-08-0	1993-04-24
New Jersey Right To Know Components		
Ferric Chloride	CAS-No.	Revision Date
	7705-08-0	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information			
Full text of H-Statements referred to under sections 2 and 3.			
Acute Tox.	: Acute toxicity		
Aquatic Acute	: Acute aquatic toxicity		
Eye Dam.	: Serious eye damage		
H290	: May be corrosive to metals.		
H302	: Harmful if swallowed.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H401	:	Toxic to aquatic life.
Met. Corr.	:	Corrosive to metals
HMIS Rating		
Health Hazard	:	2
Chronic Health Hazard	:	
Flammability	:	0
Physical Hazard	:	0
NFPA Rating		
Health hazard	:	2
Fire Hazard	:	0
Reactivity Hazard	:	0

Further Information

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Loudwolf Holdings Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his/her application.