

SECTION 1: Identification of the substance/mixture

1.1. Product identifier

Product form	: Substance
Substance name	: Graphite
Formula	: C
Molecular weight	: 12.01 g/mol
CAS No.	: 7782-42-5
Product code	: LW-GRAPHITE
Synonyms	: Carbon, Dry Lubricant

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Lubricant, Manufacture of Substances

1.3. Emergency telephone number

Emergency number : 1.800.424.9300 (USA)
+1.703.527.3887 (INT)

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2. GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS

none

SECTION 3: Composition/information on ingredients

3.1. Substances

Component	Classification	Concentration
Graphite		<= 100 %

SECTION 4: Description of first aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathed in, move person into fresh air. If not breathing, give artificial respiration.

First-aid measures after skin contact : Wash off with soap and plenty of water.

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- First-aid measures after eye contact : Flush eyes with water as a precaution.
- First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Carbon oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. More Information

No data available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapors, mist or gas.

For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Component	CAS-No.	Value	Control parameters	Basis
Graphite	7782-42-5	TWA	15.000000Million particles per cubic foot	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
	Remarks	Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c		
		TWA	2.500000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Graphite (synthetic).		
		TWA	15.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Pneumoconiosis		
		TWA	2.5 mg/m3	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Graphite (synthetic).		
		See table Z-3		
		TWA	15Million	USA. Occupational Exposure Limits

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

			particles per cubic foot	(OSHA) - Table Z-3 Mineral Dusts
		Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c		
		TWA	2 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		Pneumoconiosis		

8.2. Exposure controls

Appropriate engineering controls : General industrial hygiene practice.

8.3. Personal protective equipment

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection : Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)
data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

Aldrich - 496553 Page 4 of 7

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	: Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Environmental exposure controls	: Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	: Form: powder Color: black
Odor	: odourless
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: Melting point/range: 3,652 - 3,697 °C (6,606 - 6,687 °F) - lit.
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper/lower flammability or explosive limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available
Relative density	: No data available
Water solubility	: slightly soluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD50 Oral - Rat - female - > 2,000 mg/kg
(OECD Test Guideline 423)
LC50 Inhalation - Rat - male and female - 4 h - 2,000 mg/m³
(OECD Test Guideline 403)
Dermal: No data available
No data available

Skin corrosion/irritation : Skin - Rabbit
Result: No skin irritation
(OECD Test Guideline 404)

Serious eye damage/irritation : Eyes - Rabbit
Result: No eye irritation

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: (OECD Test Guideline 405) - Mouse Did not cause sensitization on laboratory animals. (OECD Test Guideline 429)
Germ cell mutagenicity	: in vitro assay S. typhimurium Result: negative
Carcinogenicity	
IARC:	: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH:	: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP:	: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA:	: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity	: No data available
Specific target organ toxicity (single exposure)	: No data available
Specific target organ toxicity (repeated exposure)	: No data available
Aspiration hazard	: No data available
Additional Information	: Repeated dose toxicity - Rat - male - Feed - No observed adverse effect level - 813 mg/kg RTECS: MD9659600 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish	: semi-static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)
------------------	---

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Toxicity to daphnia and other aquatic invertebrates	: static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	: static test EC50 - Pseudokirchneriella subcapitata - > 100 mg/l - 72 h (OECD Test Guideline 201)
12.2. Persistence and degradability	: No data available
12.3. Bioaccumulative potential	: No data available
12.3. Mobility in soil	: No data available
12.4. Results of PBT and vPvB assessment	: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
12.6. Other adverse effects	: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product	: Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated Packaging	: Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

Graphite

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Graphite	CAS-No.	Revision Date
	7782-42-5	1989-08-11

Pennsylvania Right To Know Components

Graphite	CAS-No.	Revision Date
	7782-42-5	1989-08-11

New Jersey Right To Know Components

Graphite	CAS-No.	Revision Date
	7782-42-5	1989-08-11

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

HMIS Rating

Health Hazard	:	0
Chronic Health Hazard	:	
Flammability	:	0
Physical Hazard	:	0

NFPA Rating

Health hazard	:	0
Fire Hazard	:	0
Reactivity Hazard	:	0

Further Information

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Loudwolf Holdings Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his/her application.