

SECTION 1: Identification of the substance/mixture

1.1. Product identifier

| | |
|------------------|--|
| Product form | : Substance |
| Substance name | : Potassium Permanganate |
| Formula | : KMnO_4 |
| Molecular weight | : 158.03 g/mol |
| CAS No. | : 7722-64-7 |
| Product code | : LW-KMNO4 |
| Synonyms | : Permanganate of Potash, Condy's Crystals |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|------------------------------|-----------------------------|
| Use of the substance/mixture | : Manufacture of substances |
|------------------------------|-----------------------------|

1.3. Emergency telephone number

| | |
|------------------|---|
| Emergency number | : 1.800.424.9300 (USA) +1.703.527.3887 (INT) |
|------------------|---|

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. Label elements

GHS Label elements, including precautionary statements

| | |
|----------------------------|--|
| Hazard pictograms (GHS-US) | :  |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | : May intensify fire; oxidiser. |

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- H302 : Harmful if swallowed.
- H314 : Causes severe skin burns and eye damage.
- H318 : Causes serious eye damage.
- H410 : Very toxic to aquatic life with long lasting effects.
- Precautionary statements (GHS-US)
- P210 : Keep away from heat.
- P220 : Keep/Store away from clothing/ combustible materials.
- P221 : Take any precaution to avoid mixing with combustibles.
- P260 : Do not breathe dust or mist.
- P264 : Wash skin thoroughly after handling.
- P270 : Do not eat, drink or smoke when using this product.
- P273 : Avoid release to the environment.
- P280 : Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P301 + P312 + P330 : IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
- P301 + P330 + P331 : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 + P361 + P353 : IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- P304 + P340 + P310 : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
- P305 + P351 + P338 + P310 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
- P363 : Wash contaminated clothing before reuse.
- P370 + P378 : In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
- P391 : Collect spillage.
- P405 : Store locked up.
- P501 : Dispose of contents/ container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS

none

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

| Component | Classification | Concentration |
|------------------------|---|---------------|
| Potassium Permanganate | Ox. Sol. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H314, H410 | <= 100 % |

SECTION 4: Description of first aid measures

4.1. Description of first aid measures

- General advice : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
- First-aid measures after inhalation : If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
- First-aid measures after skin contact : Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.
- First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
- First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Potassium oxides, Manganese/manganese oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.4. More Information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition – No smoking. Keep away from heat and sources of ignition.

For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Oxidizing hazardous materials

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Component | CAS-No. | Value | Control | Basis |
|-----------|---------|-------|---------|-------|
|-----------|---------|-------|---------|-------|

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | | | parameters | |
|------------------------|-----------|---|-------------------|---|
| Potassium permanganate | 7722-64-7 | C | 5.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | Remarks | Ceiling limit is to be determined from breathing-zone air samples. | | |
| | | TWA | 0.200000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Central Nervous System impairment Adopted values or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended Changes (NIC) varies | | |
| | | TWA | 1.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | ST | 3.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 0.100000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Central Nervous System impairment 2014 Adoption varies | | |
| | | TWA | 0.020000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Central Nervous System impairment 2014 Adoption varies | | |
| | | C | 5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | Ceiling limit is to be determined from breathing-zone air samples. | | |
| | | TWA | 0.1 mg/m3 | USA. ACGIH Threshold Limit Values |

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | | | | |
|--|--|--|------------------------|---|
| | | | | (TLV) |
| | | Central Nervous System impairment varies | | |
| | | TWA | 0.02 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | | Central Nervous System impairment varies | | |
| | | TWA | 1 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | ST | 3 mg/m ³ | USA. NIOSH Recommended Exposure Limits |

8.2. Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3. Personal protective equipment

Eye protection : Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection : Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Sigma-Aldrich - 223468 Page 5 of 9

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

- Body protection : Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Respiratory protection : Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
- Environmental exposure controls : Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Appearance : Form: crystalline
Color: dark violet
- Odor : odourless
- Odor Threshold : No data available
- pH : 7.2 - 9.7 at 20 g/l at 20 °C (68 °F)
- Melting point/freezing point : Melting point/range: > 240 °C (> 464 °F) - Decomposes on heating.
- Initial boiling point and boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper/lower flammability or explosive limits : No data available

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--|--|
| Vapor pressure | : No data available |
| Vapor density | : No data available |
| Relative density | : 2.710 g/cm ³ |
| Water solubility | : 28.3 g/l at 0 °C (32 °F) 65.1 g/l at 20 °C (68 °F) 125 g/l at 40 °C (104 °F) 224 g/l at 60 °C (140 °F) |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : > 240 °C (> 464 °F) - |
| Viscosity | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : The substance or mixture is classified as oxidizing with the category 2. |

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--|--|
| Acute toxicity | : LD50 Oral - Rat - 1,090 mg/kg Inhalation: No data available Dermal: No data available No data available |
| Skin corrosion/irritation | : Skin - Rabbit Result: Corrosive - 4 h |
| Serious eye damage/irritation | : No data available |
| Respiratory or skin sensitization | : Maximisation Test (GPMT) - Guinea pig Result: Does not cause skin sensitisation. (OECD Test Guideline 406) |
| Germ cell mutagenicity | : No data available |
| Carcinogenicity | |
| IARC: | : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| ACGIH: | : No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
| NTP: | : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| OSHA: | : No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| Reproductive toxicity | : No data available |
| Specific target organ toxicity (single exposure) | : No data available |
| Specific target organ toxicity (repeated exposure) | : No data available |
| Aspiration hazard | : No data available |
| Additional Information | : RTECS: SD6475000 Contact with skin can cause:, Oedema, Necrosis, Effects due to ingestion may include:, methemoglobinemia, psychological disturbances, Vomiting, Nausea, Diarrhoea. |

SECTION 12: Ecological information

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.1. Toxicity

Toxicity to fish : LC50 - Oncorhynchus mykiss (rainbow trout) - 0.3 - 0.6 mg/l - 96.0 h

Toxicity to daphnia and other aquatic invertebrates : EC50 - Daphnia magna (Water flea) - 0.084 mg/l - 48 h

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Bioaccumulation : Lamellibranchia (mussel)
Bioconcentration factor (BCF): < 10,000
Remarks: Can accumulate in aquatic organisms.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6. Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated Packaging : Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number : 1490

Class : 5.1

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group : II
Proper shipping name : Potassium permanganate
Reportable Quantity (RQ) : 100 lbs
Poison Inhalation Hazard : No

IMDG

UN number : 1490
Class : 5.1
Packing group : II
EMS-No : F-H, S-Q
Proper shipping name : POTASSIUM PERMANGANATE
Marine pollutant : yes

IATA

UN number : 1490
Class : 5.1
Packing group : II
Proper shipping name : Potassium permanganate

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313.

| | | |
|------------------------|-----------|---------------|
| Potassium permanganate | CAS-No. | Revision Date |
| | 7722-64-7 | 1993-04-24 |

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right To Know Components

| | | |
|------------------------|-----------|---------------|
| Potassium permanganate | CAS-No. | Revision Date |
| | 7722-64-7 | 1993-04-24 |

Pennsylvania Right To Know Components

| | | |
|------------------------|-----------|---------------|
| Potassium permanganate | CAS-No. | Revision Date |
| | 7722-64-7 | 1993-04-24 |

New Jersey Right To Know Components

| | | |
|------------------------|---------|---------------|
| Potassium permanganate | CAS-No. | Revision Date |
|------------------------|---------|---------------|

Potassium Permanganate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7722-64-7

1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

| | |
|-----------------|---|
| Acute Tox. | : Acute toxicity |
| Aquatic Acute | : Acute aquatic toxicity |
| Aquatic Chronic | : Chronic aquatic toxicity |
| Eye Dam. | : Serious eye damage |
| H272 | : May intensify fire; oxidiser. |
| H302 | : Harmful if swallowed. |
| H314 | : Causes severe skin burns and eye damage. |
| H318 | : Causes serious eye damage. |
| H400 | : Very toxic to aquatic life. |
| H410 | : Very toxic to aquatic life with long lasting effects. |

HMIS Rating

| | |
|-----------------------|-----|
| Health Hazard | : 3 |
| Chronic Health Hazard | : |
| Flammability | : 0 |
| Physical Hazard | : 2 |

NFPA Rating

| | |
|-------------------|------|
| Health hazard | : 3 |
| Fire Hazard | : 0 |
| Reactivity Hazard | : 2 |
| Special Hazard | : OX |

Further Information

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Loudwolf Holdings Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his/her application.