Zinc Oxide

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 02/28/2015

SECTION 1: Identification of the substance/mixture

1.1. Product identifier

Product form	:	Substance
Substance name	:	Zinc Oxide
Formula	:	ZnO
Molecular weight	:	81.39 g/mol
CAS No.	:	1314-13-2
Product code	:	LW-ZNO
Synonyms	:	Zinc White

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	:	Pigment, Laboratory chemicals, Synthesis of substances

1.3. Emergency telephone number

Emergency number	:	1.800.424.9300 (USA) +1.703.527.3887 (INT)

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram :

Signal word : Warning

Hazard statement(s)

H410	:	Very toxic to aquatic life with long lasting effects.
P273	:	Avoid release to the environment.
P391	:	Collect spillage.
P501	:	Dispose of contents/ container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS

none

SECTION 3: Composition/information on ingredients

3.1. Substances

Formula : ZNO

Synonyms : Zinc White

Molecular Weight : 81.39 g/mol

CAS-No. : 1314-13-2

Hazardous components

Component	Classification	Concentration
Zinc oxide	Aquatic Acute 1; Aquatic Chronic 1; H410	<= 100 %
For the full text of the H-Statements mentioned in this Section, see Section 16.		

SECTION 4: Description of first aid measures

4.1. Description of first aid measures

General advice : Consult a physician. Show this safety data sheet to the doctor in attendance.

First-aid measures after inhalation : If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

First-aid measures after skin contact : Wash off with soap and plenty of water. Consult a physician.

First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Zinc/zinc oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. More Information

No data available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis

			parameters	
Zinc oxide	1314-13-2	TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	metal fume fever		
		STEL	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		metal fume fever		
		TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	10.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		C	15.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	15.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

8.2. Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3. Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under

		appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin Protection	:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body protection	:	Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	:	For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Environmental exposure controls	:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	:	Form: powder Color: white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or explosive limits	:	No data available
Vapor pressure	:	No data available
Vapor density	:	No data available
Relative density	:	5.610 g/cm3
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2. Other safety information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Chloroformates, Peroxides, Strong acids

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	:	LD50 Oral - Mouse - 7,950 mg/kg LC50 Inhalation - Mouse - 2,500 mg/m3 Dermal: No data available No data available
Skin corrosion/irritation	:	Skin - Rabbit Result: Mild skin irritation - 24 h
Serious eye damage/irritation	:	Eyes - Rabbit Result: Mild eye irritation - 24 h Eyes - Rabbit Result: Mild eye irritation - 24 h
Respiratory or skin sensitization	:	No data available
Germ cell mutagenicity	:	Hamster Embryo Unscheduled DNA synthesis Sigma-Aldrich - 96479 Page 6 of 8 Hamster Embryo Morphological transformation. Hamster Embryo Sister chromatid exchange Guinea pig Unscheduled DNA synthesis

Carcinogenicity

IARC	:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity	:	No data available
Specific target organ toxicity (single exposure)	:	No data available
Specific target organ toxicity (repeated exposure)	:	No data available
Aspiration hazard	:	No data available
Additional Information	:	RTECS: ZH4810000 Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin. prolonged or repeated exposure can cause:, Reversible liver enzyme abnormalities. Diarrhea. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish	:	LC50 - Oncorhynchus mykiss (rainbow trout) - 1.1 mg/l - 96.0 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 - Daphnia magna (Water flea) - 0.098 mg/l - 48 h
12.2. Persistence and degradability	:	No data available

12.3. Bioaccumulative potential	:	No data available
12.4. Mobility in soil	:	No data available
12.5. Results of PBT and vPvB assessment	:	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
12.6. Other adverse effects	:	Very toxic to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated Packaging	:	Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

UN number	:	3077
Class	:	9
Packing group	:	III
EMS-No	:	F-A, S-F
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)
Marine pollutant	:	yes

IATA

Not dangerous goods

UN number	:	3077
Class	:	9
Packing group	:	III
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)
Marine pollutant	:	yes

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

Zinc oxide	CAS-No.	Revision Date
	1314-13-2	2007-03-01

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

Zinc oxide	CAS-No.	Revision Date
	1314-13-2	2007-03-01

Pennsylvania Right To Know Components

Zinc oxide	CAS-No.	Revision Date
	1314-13-2	2007-03-01

New Jersey Right To Know Components

Zinc oxide	CAS-No.	Revision Date
	1314-13-2	2007-03-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

HMIS Rating

Health Hazard	:	0
Chronic Health Hazard	:	
Flammability	:	0
Physical Hazard	:	0

NFPA Rating

Health hazard	:	0
Fire Hazard	:	0
Reactivity Hazard	:	0

Further Information

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Loudwolf Holdings Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his/her application.